

Section 1

Threaded Fasteners



THREADED ROD # 975

Ref: DIN 975



SIZE Dia. x Pitch	# 975 4.6 Steel	# 975 ZP 4.6 Steel Zinc	# 975 8.8 8.8 Steel	# 975 B7 A193-B7 Steel	# 975 10 10.9 Steel	# 975 L 4.6 Steel Left Hand	# 975 A2 304 Stainless	# 975 A4 316 Stainless	# 975 BR Brass	# 975 PL 6.6 Polyamide	# 975 AL Aluminum	Weight/lbs. Per Meter Steel & Stainless
2 x .4	x	x	-	-	-	-	x	x	-	-	-	-
2.5 x .45	x	x	-	-	-	-	x	x	-	-	-	-
2.6 x .45	x	-	-	-	-	-	-	-	-	-	-	-
3 x .5	x	x	-	-	-	-	x	x	-	-	-	-
3.5 x .6	x	x	-	-	-	-	-	-	-	-	-	.10
4 x .7	x	x	x	x	-	x	x	x	x	x	x	.15
5 x .8	x	x	x	x	-	x	x	x	x	x	x	.20
6 x 1	x	x	x	x	x	x	x	x	x	x	x	.40
7 x 1	x	-	-	-	-	-	-	-	-	-	-	.60
8 x 1.25	x	x	x	x	x	x	x	x	x	x	x	.70
8 x 1	x	x	-	x	-	-	x	-	-	-	-	-
10 x 1.5	x	x	x	x	x	x	x	x	x	x	x	1
10 x 1.25	x	x	-	x	-	-	x	-	-	-	-	-
10 x 1	x	x	-	x	-	-	x	-	-	-	-	-
12 x 1.75	x	x	x	x	x	x	x	x	x	x	x	1.5
12 x 1.5	x	x	-	x	-	-	x	-	-	-	-	-
12 x 1.25	x	x	-	x	-	-	x	-	-	-	-	-
12 x 1	x	-	-	x	-	-	-	-	-	-	-	-
14 x 2	x	x	x	x	x	x	x	x	x	-	-	2
14 x 1.5	x	x	-	x	-	-	x	-	-	-	-	-
16 x 2	x	x	x	x	x	x	x	x	x	x	x	3
16 x 1.5	x	x	-	x	-	-	x	-	-	-	-	-
18 x 2.5	x	x	x	x	x	x	x	x	x	x	-	3.5
18 x 2	x	-	-	-	-	-	-	-	-	-	-	-
18 x 1.5	x	-	-	x	-	-	x	-	-	-	-	-
20 x 2.5	x	x	x	x	x	x	x	x	x	x	x	4.5
20 x 2	x	-	-	-	-	-	-	-	-	-	-	-
20 x 1.5	x	-	-	x	-	x	x	-	-	-	-	-
22 x 2.5	x	x	x	x	x	-	x	-	-	-	-	5.5
22 x 1.5	x	-	-	x	-	-	-	-	-	-	-	-
24 x 3	x	x	x	x	x	-	x	x	x	-	-	6.5
24 x 2	x	-	-	x	-	x	-	-	-	-	-	-
24 x 1.5	x	-	-	x	-	x	-	-	-	-	-	-
27 x 3	x	x	x	x	-	-	x	x	x	-	-	8.5
27 x 1.5	x	-	-	x	-	-	-	-	-	-	-	-
30 x 3.5	x	x	x	x	x	-	x	x	x	-	-	10.5
30 x 1.5	x	-	-	x	-	-	-	-	-	-	-	-
33 x 3.5	x	-	-	x	-	-	x	x	x	-	-	13
36 x 4	x	x	x	x	-	-	x	x	x	-	-	15
39 x 4	x	-	-	-	-	-	-	-	-	-	-	18
42 x 4.5	x	-	-	x	-	-	-	-	-	-	-	21
45 x 4.5	x	-	-	x	-	-	-	-	-	-	-	24
48 x 5	x	-	-	-	-	-	-	-	-	-	-	27
52 x 5	x	-	-	-	-	-	-	-	-	-	-	-
56 x 5.5	x	-	-	-	-	-	-	-	-	-	-	32

"x" denotes stock availability

How to Order

Item #: 975 A2
Size: 16 x 2
Quantity: 10
Tel: 1-888-966-MMCC

1 meter lengths = stock - 2 and 3 meter lengths = available on request - Please inquire.

For mechanical properties & tolerance information, please refer to Useful Information, Section 10.